

REMACHE TUBULAR DIN 7337-A - INOX A-2 / INOX A-2

STAINLESS STEEL AISI 304 / STAINLESS STEEL AISI 304 BLIND RIVET DIN 7337-A
 RIVET TUBULAIRE DIN 7337-A EN ACIER INOX A-2 / ACIER INOX A-2
 BLINDNIETE DIN 7337-A AUS EDELSTAHL A-2 / EDELSTAHL A-2



| CAJA / BOX / BOÎTE | | INOX. A-2 / S.S. AISI 304 | | | |
|-----------------------|----------------------------|---|-----|--------|--|
| CÓDIGO Code / Code | MEDIDA Measure / Mesure | RANGO AGARRE Grip range / Gamme de prise | | | |
| | ØxL m.m. | G | G | | |
| RESA23206 | 3,2x 6 | 0,5-3 | 500 | 10.000 | |
| RESA23208 | 3,2x 8 | 3-5 | 500 | 10.000 | |
| RESA23210 | 3,2x10 | 5-6,5 | 500 | 10.000 | |
| RESA23212 | 3,2x12 | 6,5-8,5 | 500 | 10.000 | |
| RESA23215 | 3,2x15 | 9,5-11,5 | 500 | 10.000 | |
| RESA24006 | 4,0x 6 | 1-1,25 | 500 | 5.000 | |
| RESA24008 | 4,0x 8 | 2,5-4,5 | 500 | 5.000 | |
| RESA24010 | 4,0x10 | 4,5-6,5 | 500 | 5.000 | |
| RESA24012 | 4,0x12 | 6,5-8,5 | 500 | 5.000 | |
| RESA24016 | 4,0x16 | 10-12 | 500 | 5.000 | |

| CAJA / BOX / BOÎTE | | INOX. A-2 / S.S. AISI 304 | | | |
|-----------------------|----------------------------|---|-----|-------|--|
| CÓDIGO Code / Code | MEDIDA Measure / Mesure | RANGO AGARRE Grip range / Gamme de prise | | | |
| | ØxL m.m. | G | G | | |
| RESA24808 | 4,8x 8 | 2-4 | 500 | 5.000 | |
| RESA24810 | 4,8x10 | 4-6 | 500 | 5.000 | |
| RESA24812 | 4,8x12 | 6-8 | 500 | 5.000 | |
| RESA24814 | 4,8x14 | 7-9 | 500 | 5.000 | |
| RESA24816 | 4,8x16 | 8-11 | 500 | 5.000 | |
| RESA24818 | 4,8x18 | 11-13 | 500 | 5.000 | |
| RESA24820 | 4,8x20 | 13-16 | 250 | 5.000 | |
| RESA24825 | 4,8x25 | 16-19 | 250 | 2.500 | |
| RESA24830 | 4,8x30 | 21-25 | 250 | 2.500 | |

| AUTOSERVICIO / SELF-SERVICE / AUTO-SERVICE | | INOX. A-2 / S.S. AISI 304 | |
|--|----------------------------|---------------------------|----|
| CÓDIGO Code / Code | MEDIDA Measure / Mesure | | |
| | ØxL m.m. | | |
| BFRESA23208 | 3,2x 8 | 200 | 12 |
| BFRESA23210 | 3,2x10 | 200 | 12 |
| BFRESA24008 | 4,0x 8 | 150 | 12 |
| BFRESA24010 | 4,0x10 | 150 | 12 |
| BFRESA24012 | 4,0x12 | 100 | 12 |
| BFRESA24016 | 4,0x16 | 100 | 12 |
| BFRESA24810 | 4,8x10 | 100 | 12 |
| BFRESA24812 | 4,8x12 | 100 | 12 |
| BFRESA24816 | 4,8x16 | 100 | 12 |

PEDIDO MÍNIMO 1 EMBALAJE / MINIMUM ORDER 1 PACKAGING
 COMMANDE MINIMALE 1 EMBALLAGE / MINDESTBESTELLMENGE 1 VERPACKUNG

INFORMACIÓN TÉCNICA / TECHNICAL INFORMATION

| Ø | D | H | T | P min. | W nom. | CIZALLA TÍPICA Typical shear Cisaillement typique | TRACCIÓN TÍPICA Typical tensile Traction typique | Ø AGUJERO Hole Ø Ø Foret |
|------|-----------|---------|---------|--------|--------|---|--|--------------------------------|
| m.m. | m.m. | m.m. | m.m. | m.m. | m.m. | N | N | m.m. |
| 3,2 | 3,05-3,28 | 5,8-6,5 | 0,8-1,2 | 27 | 1,75 | 535 | 650 | 3,3-3,4 |
| 4,0 | 3,85-4,08 | 7,0-8,0 | 0,9-1,5 | 27 | 2,08 | 850 | 1.020 | 4,1-4,2 |
| 4,8 | 4,65-4,88 | 8,5-9,5 | 1,0-1,6 | 27 | 2,58 | 1.160 | 1.420 | 4,9-5,0 |

